


$$\frac{\mathsf{H}}{\mathsf{CH}_2\mathsf{CH}_2\mathsf{CH}_2} \frac{\mathsf{H}}{\mathsf{CH}_2} \frac{\mathsf{H}}{\mathsf{CH}_2} + \mathsf{H} \cdot \mathsf{CH}_2\mathsf{CH}_2 + \mathsf{CH}_2 + \mathsf{C$$

FIGURE 1











1. DNA marker (1 kbp)
2. pDNA
3. PEACE/pDNA (0.25/1) (+/-)
4. PEACE/pDNA (0.5/1) (+/-)
5. PEACE/pDNA (1/1) (1/-)
6. PEACE/pDNA (1/1) (1/-)
7. PEACE/pDNA (2/1) (+/-)
8. PEACE/pDNA (3/1) (+/-)
9. PEACE/pDNA (5/1) (+/-)
10. PEACE/pDNA (7/1) (+/-)




FIGURE 4A

Inventors:Ram I. Mahato, et al. Attorney Docket No. T8948.CIP Attorney: M. Wayne Western (801) 566-6633

PEACE: DOPE (1/1)/pDNA (0.5/1, +/-) PEACE:DOPE (1/2)/pDNA (0.5/1, +/-) 10. PEACE:DOPE (1/2)/pDNA (2/1, +/-) PEACE:DOPE (1/1)/pDNA (2/1, +/-) PEACE:DOPE (1/1)/pDNA (3/1, +/-) PEACE:DOPE (1/1)/pDNA (1/1, +/-) 9. PEACE:DOPE (1/2)/pDNA (1/1, +/-) PEACE:DOPE (1/1)/pDNA (5/1, +/-) 12. PEACE:DOPE (1/2)/pDNA (5/1, +/-) 11. PEACE:DOPE (1/2)/pDNA (3/1, +/-) 1. NAKEDP DNA Naked DNA 4. 6.

FIGURE 4B

(dq	•
(100)	
marker (
DNA	

2-9: PEACE/pDNA

2. pCMV-Luc
3. Incubation time: 0 min.

: 5 min. : 10 min.

: 30 min.

: 15 min.

: 120 min.

: 60 min.

10-12: Naked DNA

10. Incubation time: 0 min.

: 5 min. : 10 min.

DNase amount: 3 unit








FIGURE 5




Inventors:Ram I. Mahato, et al. Attorney Docket No. T8948.CIP Attorney: M. Wayne Western (801) 566-6633









Lane 1: 100 bp ladder, lane 2 & 4 : PEACE:DOPE (1/1)/pmIL-12 (1/1, +/-) β -actin , lane 3 & 5: PEACE:DOPE (1/1)/pmIL-12 (1/1, +/-) mIL-12 p35, lane 6 & 8: PEACE:DOPE (1/1)/pmIL-12 (5/1, +/-) β-actin, lane 7 & 9: PEACE:DOPE (1/1)/pmIL-12 (5/1, +/-) mIL-12 p35, lane 10 & 12: PEACE:DOPE (2/1)/pmIL-12 (3/1, +/-) β-actin, lane 11 & 13: PEACE:DOPE (2/1)/pmIL-12 (3/1, +/-)

mIL-12 p35, lane 14: 100 bp ladder.

FIGURE 8